### CITIZEN

# Sophisticated and fast, high performance printing

Style and substance



### High speed and performance

Quick and convenient, the 300mm/s, frontexit CT-E651 is perfect for hospitality and retail alike. The front exit for hospitality protects the mechanism from spills and crumbs.

### Low space requirement

In retail, the compact footprint fits perfectly beneath all-in-one retail systems or alongside a cash drawer - after all it is the same height.

#### Completely connected

Add to that, Bluetooth™ and WiFi™ interface options for great connectivity.

### CT-E651

POS, Receipt printer (thermal 3 inch / 80mm)

### **Applications**

- Hospitality
- Retail



The compact, cubic design makes the CT-E651 one of the most stylish and sleek printers on the market.

TOMORROW'S PRINTING TODAY

### CITIZEN



### **Specifications**

The CT-E651 is designed to meet all interfacing needs. USB 2.0 is standard, with LAN, Serial, WiFi and Bluetooth optional depending on user requirements.

Model	CT-E651
Printing Technology	Direct Thermal
Resolution	203 dpi
Print Speed (maximum)	300 mm/sec.
Print Width (maximum)	72 mm
Media Width (min to max)	59 - 80 mm (+/- 0.5 mm)
Roll Size (max), Core Size	83 mm outside diameter
Media Thickness (min to max)	53 to 85 μm
Media Sensor	Paper end
Main Interface	USB 2.0 full speed
Optional interfaces	Bluetooth with Apple™ MFi compatibility, Premium Wireless LAN, Serial (RS-232C compliant), Compact Wireless LAN, Ethernet, Ethernet + USB host
Power supply	100 – 240V, 50-60 Hz, external power supply (supplied) or 24V DC
Reliability	200 Million pulses or 150 Km, 2 million cuts
,	
Reliability	200 Million pulses or 150 Km, 2 million cuts
Reliability Control panel	200 Million pulses or 150 Km, 2 million cuts 2 buttons, 5 LEDs
Reliability Control panel Emulations (Languages)	200 Million pulses or 150 Km, 2 million cuts 2 buttons, 5 LEDs ESC/POS™
Reliability Control panel Emulations (Languages) Drivers and software Flash (Non-Volatile	200 Million pulses or 150 Km, 2 million cuts 2 buttons, 5 LEDs ESC/POS™ Free-of-charge from website, including support for various platforms
Reliability Control panel Emulations (Languages) Drivers and software Flash (Non-Volatile Memory) Size (W x D x H) and	200 Million pulses or 150 Km, 2 million cuts 2 buttons, 5 LEDs ESC/POS™ Free-of-charge from website, including support for various platforms 8MB

### CT-E651

# POS, Receipt printer (thermal 3 inch / 80mm)

#### **Features & Benefits**

- Paper exit: Front exit, top loading
- Paper load: Quick and easy media changing drop-in paper loading
- Printing Speed: Ultra fast print out of receipts - up to 300mm per seconds
- Mobile-POS ready
- ENERGY STAR® compliant
- Small footprint



During its lifetime, the autoretracting cutter will make 2 million cuts and the machine will print 20 million lines.

## **CITIZEN**

Model	CT-E651
Warranty	2 years including head and cutter
EMC and safety standards	CE, TUV, UL, C-UL, FCC, VCCI

All product names are trademarks of the respective manufacturers. Zebra®, ZPL and EPL are trademarks of ZIH Corp. Datamax® is a trademark of Datamax-O'Neil Corporation. Designs, specifications and availability are subject to change without notice. Errors and omissions excluded. © Citizen Systems Europe GmbH, V.1.0

### CT-E651

POS, Receipt printer (thermal 3 inch / 80mm)