

Elo Backpack® 4

Android™ Compute Engine for Interactive Experiences









Product Overview

The Elo Backpack delivers a powerful, commercial-grade Android 10 compute engine designed to simplify the deployment of content, websites and Android-based apps across your interactive experiences. Purpose-built to fit in compact spaces, the Elo Backpack boasts a small footprint in both size and weight and can secure to any counter or in a kiosk easily with the built-in 75 mm or 100 mm VESA mount.

For added flexibility, choose between the Qualcomm Snapdragon octa-core Kryo processor offering powerful performance up to 2.2 GHz and enhanced Adreno graphics or the low-power, high-performance Rockchip processor. With connectivity to satisfy all your needs from signage and kiosks to automation controls, scaling Elo's commercial Android platform across sizes and form factors has never been easier.

Connectivity includes HDMI, USB 3.0, USB-C, Ethernet, Bluetooth, Wi-Fi, micro-SD and GPIO

EloView ready - seamlessly manage and update digital content across multiple locations with ease

Enterprise-Grade Support - Security updates, seamless provisioning, Elo Home, OEMConfig and more

Elo Backpack 4

Specifications			
Enclosure Color	Black		
Operating System	Android 10 with Google Play Services and EloView content deployment and management		
Processor	Standard Model: Qualcomm Snapdragon 660 Value Model: Rockchip RK3399		
Memory (RAM)	4GB LPDDR4		
Storage (emmc 5.1)	Standard Model: 64GB Value Model: 32GB		
IO Ports	HDMI, 4x USB 3.0 support, Type C USB output, Micro SD slot, GPIO, Ethernet 1x LAN (Gigabit), DC in		
Wireless	802.11a/b/g/n/ac + Bluetooth 5.0 Via external antenna		
Power Input	AC input voltage: 100-240 VAC; Input frequency: 50-60 Hz		
Power Consumption (Typical)	Standard Model - On: 9.9W; Off: 0.4W; Sleep: 3.2W Value Model - On: 3.2W; Off: 0.3W; Sleep: 2.1W		
Dimensions	4.5" x 5.5" x 1.0" / 114 mm x 139 mm x 25.4 mm		
Shipping Dimensions	Individual System Standard Model: 14.6" x 8.3" x 2.4" / 371 mm x 210 mm x 62 mm Value Model: 14.6" x 8.2" x 2.4" in / 371 mm x 208 mm x 62 mm 8 systems in 1 carton Standard Model: 17.4" x 10.6" x 16.3" / 441 x 270 x 413 mm Value Model: 17.4" x 10.6" x 16.3" / 441 x 270 x 413 mm		
Weight	Unpackaged - Standard Model: 1.3 lbs / 0.59 kg; Value Model: 0.82 lbs / 0.37 kg Packaged (Individual System) - Standard Model: 2.9 lbs / 1.3 kg; Value Model: 0.82 lbs / 0.37 kg Packaged (8 systems in 1 carton) - Standard Model: 26.0 lbs / 11.8 kg; 22.38 lbs / 10.15 kg		
Temperature	Operating: 0°C to 40°C (32°F to 104°F) Storage: -20°C to 50°C (-4°F to 122°F)		
Humidity (non-condensing)	Operating: 20% to 80%; Storage: 10% to 95%		
Mounting Options	VESA 75mm and 100mm		
Real-Time Clock	Lithium coin cell battery for real time clock		
Regulatory Approvals and Declarations	UL/cUL (US); FCC (US); IC (Canada); CE (Europe); CB (International); VCCI, MIC (Japan); RCM (Australia)		
Supported Country List	Canada, USA, Australia, Japan, South Korea, New Zealand, Austria, Belgium, Czech Republic, Denmark, France, Germany, United Kingdom, Hungary, Italy, Netherlands, Poland, Portugal, Romania, Spain, Sweden, Switzerland, Turkey		
Warranty	2 years		
3 year warranty coverage - Elo P/N: E895914 4 year warranty coverage - Elo P/N: E896120 5 year warranty coverage - Elo P/N: E896322 2 year warranty coverage + AUR - Elo P/N: E896513 3 year warranty coverage + AUR - Elo P/N: E896699 4 year warranty coverage + AUR - Elo P/N: E896903 5 year warranty coverage + AUR - Elo P/N: E897104			
What's in the Box	Elo Backpack, North American Power Cable, European Power Cable, 1x Power Brick with locking screw, 2x Antenna, Quick Install Guide		

Ordering Information

Part Number	Processor	Memory	Storage
E393359	Qualcomm Snapdragon 660	4GB	64GB
E393359	Rockchip RK3399	4GB	32GB

Learn more about Elo at ${f EloTouch.com}$.

Americas Europe (EMEA)

Tel +1 408 597 8000 Tel +32 16 930 136 Tel +86 (21) 3329 1385 elosales.na@elotouch.com EMEA.Sales@elotouch.com EloAsia@elotouch.com



Asia Pacific

