

Receive a stackable Project Registration (PR) discount off select Top Runner PR SKUs. Offer applies to new and existing PRs. *Project Registration (PR) is required* to take advantage of this offer.

WHAT'S TOP RUNNER PR?

Top Runner PR can be used in conjunction with a Honeywell Project Registration. The program is designed to maximize reseller growth by offering exclusive price protection tied to the project business. Take your savings even further stacking this offer on top of the discounts you enjoy as part of being a Honeywell Performance Partner.

PROMOTIONAL DISCOUNT EXAMPLE	
Current Partner PR Discount =	7%
Additional Top Runner PR Discount = 10% to 2	4%
TOTAL PR DISCOUNT = 17% to 2	1%
on Eligible Devices Only	

PROMOTIONAL DISCOUNT EXAMPLE						
Current Partner PR Discount =	7%					
Additional Top Runner PR Discount =	5%					
TOTAL PR DISCOUNT =	12%					
on Eligible Devices and						
Accessories						

TABLE A - ELIGIBLE SKUs FOR TOP RUNNER PR 10% OR 14% DISCOUNT

PRODUCT Family	SKU	NEW TO PROMO 9/30/24	DESCRIPTION	ELIGIBLE PR DISCOUNT
CT30 XP	CT30P-X0N-30D10HG	N	CT30 XP Healthcare, WLAN, 6 G/64 G, 5.5-inch 2160 × 1080P full HD, N6700, 8/13 MP, 802.11a/b/g/n/ac/r/k/mc/ax, 2*2 MIMO, BT5.1 & 2nd BLE, Android GMS, Battery, Warm Swap, IP67, PTT, GLB	14%
CW45	CW45-X0N-AND10SG	N	CW45, Weable Mobile Computer, WiFi 6, 6/64GB, 8/13MP Front/Side Facing Cameras, Standard Battery (3400mAh). Device Client Pack (DCP) Pre-Loaded (1 Year DCP Term License). Includes Mount and Comfort Pad. Arm Strap and Charger Required and Sold Separately	10%

TABLE B-ELIGIBLE SKUs FOR TOP RUNNER PR 5% DISCOUNT

PRODUCT Family	sku	NEW TO PROMO 9/30/24	DESCRIPTION	ELIGIBLE PR DISCOUNT
	CK65-LON-BMC210F	N	CK65, 4 GB/32 GB Memory, Alphanumeric, EX20 Near/Far Range 2D Area Image, Camera, SCP, GMS, Enhanced Durability, FCC	5%
CK65	CK65-LON-B8C214F	N	CK65, 4 GB/32 GB Memory, Alphanumeric, 6803 Gen 8, Camera, SCP, GMS, Standard Environment, Enhanced Durability, FCC	5%
CKOO	CK65-LON-BLC210F	N	CK65, 4 GB/32 GB Memory, Alphanumeric, FlexRange XLR, Camera, SCP, GMS, Disinfectant-Ready, FCC	5%
	CK65-LON-BSC210F	N	CK65,4 GB/32 GB Memory, Alphanumeric, 6703SR, Camera, SCP, GMS, Disinfectant-Ready, Standard Environment, FCC	5%
CK67	CK67-X0N-57S1A0G	Y	CK67: WIFIGE, 4.3* Screen, 51-Key Alphanumeric, 8GB/128GB, Standard Range Engine-Red Laser, Front&Rear Camera, Standard Battery, GMS, IP65/68, Standard, Launcher/Browser/BasicTE, Global	5%
CNOT	CK67-X0N-58S1A0G	Y	CK67: WIFIGE, 4.3* Screen, 51-Key Alphanumeric, 8GB/128GB, FlexRange Engine-Green Laser, Front&Rear Camera, Standard Battery, GMS, IP65/68, Standard, Launcher/Browser/BasicTE, Global	5%
CK62	CK62-X00-57S1ACG	Y	CK62: Wi-Fi 6E, 4" Screen, 47-Key Alphanumeric, 8GB/128GB, Standard Range Engine - Red Laser, Rear Camera, Standard Battery, GMS, IP65, Standard, Launcher/Brower/BasicTE, No Adapter, Global	5%
CNUZ	CK62-X00-5ES1ACG	Y	CK62: Wi-Fi 6E, 4" Screen, 47-Key Alphanumeric, 8GB/128GB, FlexRangeXLR Engine-Red Laser, Rear Camera, Standard Battery, GMS, IP65, Standard, Launcher/Brower/BasicTE, No Adapter, Global	5%
OTO O VD	CT30P-X0N-38D10DG	N	CT30 XP Disinfectant Ready, WLAN, 6 G/64 G, 5.5-inch 2160 × 1080P full HD, FlexRange FR, 8/13MP, 802.11a/b/g/n/ac/r/k/mc/ax, 2*2 MIMO, BT5.1 &2 nd BLE, Android GMS, Battery, Warm Swap, IP67, USB 3.0 Type C OTG, PTT, GLB	5%
CT30 XP	CT30P-L1N-38D1EDG	N	CT30 XP Disinfectant-Ready, WWAN, 6 G/64 G, 5.5-inch 2160 × 1080P full HD, FlexRange "FR, 8/13MP, 802.11a/b/g/n/ac/r/k/mc, 1 nano SIM & 1 eSIM, BT5.1 & 2nd BLE, Android "GMS, Battery, Warm Swap, IP67, USB 3.0 Type C OTG, PTT, GLB	5%
CT/LF	CT45-L0N-28D100G	N	CT45, WLAN, 4 G/64 G, 5-inch 1280 × 720 P HD, FlexRange™, 13 MP/8 MP, 802.11a/b/g/n/ac/r/k/mc, BT5.1, Android™ GMS, Battery, IP68&65, Metal Battery Latch Button, Audio Jack, USB 3.0 Type C OTG, PTT, GLB	5%
CT45	CT45-L1N-27D120G	N	CT45, WWAN,4 G/64 G, 5-inch 1280 × 720 P HD, S0703, 13 MP/8 MP, 802.11 a/b/g/n/ac/r/k/mc, Dual SIMs, BT5.1, Android GMS, Battery, IP68 & 65, Metal Battery Latch Button, USB 3.0 Type C OTG, PTT, FCC	5%



TABLE B - ELIGIBLE SKUS FOR TOP RUNNER PR 5% DISCOUNT (CONTINUED)

PRODUCT Family	sku	NEW TO PROMO 9/30/24	DESCRIPTION	ELIGIBLE PR DISCOUNT
	CT45P-X0N-38D100G	N	CT45XP, WLAN, 6 G/64 G, 5-inch 1920 × 1080P full HD, FlexRange", 13 MP/8 MP, 802.11 a/b/g/n/ac/r/k/mc/ax, 2*2 MIMO, BT5.1 & 2nd BLE, Android" GMS, Battery, Warm Swap, IP68&65, Metal Battery Latch Button, Audio Jack, USB 3.0 Type C OTG, PTT, GLB	5%
CT45 XP	CT45P-L1N-37D120G	N	CT45XP, WWAN, 6 G/64 G, 5-inch 1920 × 1080P full HD, Standard 0703 scan engine, 13 MP/8 MP, 802.11a/b/g/n/ac/r/k/mc, 2 x Nano SIM, BT5.1 & 2nd BLE, Battery, Warm Swap, IP67 & 65, Metal Battery Latch Button, USB Type C OTG, PTT, GLB	5%
	CT37-X0N-57S10DG	Υ	CT37 Disinfectant Ready, WLAN, 8G/128G, DDR5 RAM, UFS 3.1, 6.0-inch 2280x1080 Full HD, S0703SR Standard Range, 13/8MP, WiFi 6E, BT5.3 with 2nd BLE, Standard Battery IP65/68, USB 3.1 Type C OTG, QC4.0, PTT, HandStrap, Hot Swap, GMS, Global	5%
CT37	CT37-X0N-58S10DG	Υ	CT37 Disinfectant Ready, WLAN, 8G/128G, DDR5 RAM, UFS 3.1, 6.0-inch 2280x1080 Full HD, S0803FR FlexRange Green Aimer Spot, 13/8MP, WiFi 6E, BT5.3 with 2nd BLE, Standard Battery IP65/68, USB 3.1 Type C OTG, QC4.0, PTT, HandStrap, Hot Swap, GMS, Global	5%
	CT37-X0N-56S10HG	Υ	CT37 Healthcare, Disinfectant Ready, WLAN, 8G/128G, DDR5 RAM, UFS 3.1, 6.0-inch 2280x1080 Full HD, N6700, 13/8MP, WiFi 6E, BT5.3 with 2nd BLE, Standard Battery IP65/68, USB 3.1 Type C OTG, QC4.0, PTT, USB-C Plug, Hot Swap, GMS, Global	5%
	CT47-X0N-3ED100G	N	CT47, Wi-Fi 6E, 6 G/128 G, 5.5-inch 2160 × 1080P full HD, FlexRange" XLR, 8/13 MP, Wi-Fi 6E, 1 nano SIM & 1 eSIM, BT5.2, Android" GMS, Battery, Warm Swap, IP65/68, USB-C 3.0, PTT, Global	5%
CT47	CT47-X0N-38D100G	N	CT47, Wi-Fi 6E, 6 G/128 G, 5.5-inch 2160 × 1080P full HD, FlexRange", 8/13 MP, Wi-Fi 6E, 1 nano SIM & 1 eSIM, BT5.2, Android" GMS, Battery, Warm Swap, IP65/68, USB-C 3.0, PTT, Global	5%
	CT47-X1N-37D1E0G	N	CT47, WWAN 5G, 6 G/128 G, 5.5-inch 2160 × 1080P full HD, Standard Range, 8/13 MP, Wi-Fi 6E, 1 nano SIM & 1 eSIM, BT5.2, Android GMS, Battery, Warm Swap, IP65/68, USB-C 3.0, PTT, Global	5%
	VM1A-LON-1A1A20F	N	VM1A, Indoor Resistive, Android™ML GMS, SCP, 4 GB/32 GB, 802.11abgnac, Internal WLAN Antennas, Bluetooth™, FCC	5%
VM1A	VM1A-LON-1A4A20F	N	VM1A, Indoor Capacitive, Android™ ML GMS, SCP, 4 GB/32 GB, 802.11abgnac, Internal WLAN Antennas, Bluetooth™, FCC	5%
	VM1A-LON-1A2A20F	N	VM1A, Defroster Resistive, Android™ ML GMS, SCP, 4 GB/32 GB, 802.11abgnac, Internal WLAN Antennas, Bluetooth™, FCC	5%
VM3	VM3W201A1AUS1JA1	N	VM3W, Indoor Resistive, 802.11a/b/g/n, Bluetooth™, Int WLAN Antenna, 8 G RAM, 128 G Flash, Win 10 2019, US	5%
VIVI3	VM3A-L0N-1A4A20F	N	VM3A, Indoor Capacitive, Android* ML GMS, Device Client Pack, 4 GB/32 GB, 802.11abgnac, Internal WLAN Antennas, Bluetooth, FCC	5%
EDA52	EDA52-00AE31N21UK	N	KIT EDA52, LAN, 3/32 G, 2PIN+USB, ROW	5%
RP2	RP2F00N0D10	N	RP2, BT5+Wifi5 NA,BATT,MX, TAA Compliant	5%
RP4	RP4F00N0D12	N	RP4, BT5+Wifi5 NA,BATT,MX, TAA Compliant	5%
PC45	PC45T000000201	N	PC45T, Thermal Transfer, LCD, Latin Font, RTC, Ethernet, 203 DPI, US Power Cord	5%
FU40	PC45D000000201	N	PC45D, Direct Thermal, LCD, Latin Font, RTC, Ethernet, 203 DPI, US Power Cord	5%
PX45	PX45A00000020300	N	PX45A, Ethernet, Rewinder + Label Taken Sensor, TT 300 DPI, US & EU Power Cord	5%
r/ 4 0	PX45A00000000200	N	PX45A, Ethernet, TT 203 DPI, US & EU Power Cord	5%
PX65	PX65A00000000200	N	PX65A, Ethernet, TT 203 DPI, US & EU Power Cord	5%
1 7(0)	PX65A00000010200	N	PX65A, Ethernet, Rewinder + Label Taken Sensor, TT 203 DPI, US & EU Power Cord	5%
PM45	PM45CA1000030200	N	PM45, Compact, Full-touch Display, Ethernet, Fixed Hanger, Rewinder+Label Taken Sensor, TT, 203 DPI, No Power Cord	5%
I IVITU	PM45A11000000201	N	PM45A, Full Touch Display, Ethernet, Bluetooth", Wi-Fi NA, Fixed Hanger, TT, 203 DPI, US Power Cord	5%
PM65	PM65A11000030201	Υ	PM65A, 6-inch, Full Touch Display, Ethernet, Bluetooth V5.1, Wi-Fi6 North America (NA) IEEE 802.11 a/b/g/n/ac/ax, Rewinder + Label Taken Sensor, Fixed Hanger, Real Time Clock (RTC), Thermal Transfer (TT) 203 DPI, US Power Cord	5%
LIMIOO	PM65A11000000201	Υ	PM65A, 6-inch, Full Touch Display, Ethernet, Bluetooth V5.1, Wi-Fi6 North America (NA) IEEE 802.11 a/b/g/n/ac/ax, Fixed Hanger, Real Time Clock (RTC), Thermal Transfer (TT) 203 DPI, US Power Cord	5%

OFFER TERM: SEPTEMBER 30, 2024 – DECEMBER 27, 2024

OFFER TERMS AND CONDITIONS

Promotion stack applies to specified SKUs (devices) only for new Project Registrations (PRs). Please ensure the PR references a qualifying SKU before quoting.

All Honeywell Productivity Solutions and Services Partners located in the U.S. and Canada are eligible to participate.

The Offer

Register your opportunity to receive a stackable 10% or 14% off list Project Registration discount on eligible Top Runner PR SKUs (Table A).

The 10% or 14% off list promotional discounts apply only to the Top Runner SKUs listed in Table A.

Register your opportunity to receive a stackable 5% off list Project Registration discount on eligible Top Runner PR SKUs (Table B).

The 5% off list promotional discounts apply only to the Top Runner SKUs listed in Table B.

Accessories are eligible and included in the Project Registration (PR) Discount promotion. All eligible accessories will receive a 5% off list price promotional discount. Accessories covered under the promotion may not exceed the number of devices ordered.

Exclusions

Software, service, spare parts, RFID, media, print heads, platen rollers, and custom product are excluded from the promotion discount.

Stackability

Top Runner PR discounts are stackable with Performance Partner discounts and your current PR discounts.

Discounts cannot be combined or stacked with Price Exception (PE) discounts.

Other

PRs with orders that have shipped or are in won-or-closed status are not eligible.

Orders quoted and placed on existing PRs will only have promotional pricing applied during the initial validity period of the PR.

If an order is placed two weeks before the end of the current promotion but the distributor does not have inventory to ship within the promotional period and the SKU is no longer part of the upcoming Top Runner PR promotion, Honeywell will honor the current Top Runner PR discounts for 60 days following

the end of the current promotional period. The distributor must demonstrate the date the reseller P/O was placed, and that product is on backorder with Honeywell. If a qualifying order is not shipped within 60 days of the end of the current promotion, a PE can be requested to match promotion pricing subject to the usual PE approvals.

Any claims related to this rebate must be submitted a maximum of 30 days following the expiration date of the original PR.

Rebate credit will be processed and issued as part of the agreed claims process with the distributor.

Standard lead times apply to orders for devices.

Account must be current and in good standing to participate.

Standard terms and conditions of your distribution agreement and the Project Registration Policy apply.

All prices related to this promotion are in USD.

Honeywell has the right in its sole discretion to change, modify, or cancel the promotion at any time without notice to you.

For more information

sps.honeywell.com

Honeywell Industrial Automation

855 South Mint Street Charlotte, NC 28202 800-582-4263 www.honeywell.com Bluetooth is a trademark or registered trademark of the Bluetooth Special Interest Group (SIG) in the United States and other countries.

Android is a trademark or registered trademark of Google LLC in the United States and other countries.

FlexRange is a trademark or registered trademark of Honeywell International Inc. in the United States and other countries.

Top Runner PR Flyer | September 2024 | 9/24 © 2024 Honeywell International Inc.

THE FUTURE IS WHAT WE MAKE IT

