EA660 6" 5G Rugged Smartphone

5G & WiFi 6E | 6" Corning® Gorilla® Glass Victus® & 630 nits Display | 12m Barcode Reading Distance

Featuring an advanced Android 13 operating system and 5G & WiFi 6E wireless communication, the EA660 offers real-time data collection, a seamless working experience, and enhances stock management efficiency in industries such as retail, hospitality, logistics, and healthcare.

Powered by Android 13 OS with GMS & AER Certified

The EA660 is a 6-inch Android 13 rugged smartphone equipped with an advanced 64-bit Octa Cores CPU capable of reaching speeds up to 2.4 GHz. It effortlessly handles demanding tasks while ensuring smooth multitasking. With the distinction of Google Certification, encompassing Google Mobile Service (GMS) and Android Enterprise Recommended (AER) endorsement, the dual certification assures a secure and efficient business environment.

Seamless and Connectivity via Wireless Communication

Featuring 5G connectivity and enhanced by the latest Wi-Fi 6E technology, the EA660 offers unprecedented wireless connectivity across 2.4GHz, 5GHz, and 6GHz bands for extensive coverage and blazing-fast internet speeds. With fast roaming, Bluetooth® 5.2 for real-time data collection, and DBS (Dual-Band Simultaneous) technology supporting simultaneous transmissions over both 2.4GHz and 5GHz frequencies, it ensures a more reliable and efficient network performance. This setup allows users to scan items and instantly connect to the backend system to find out the quantity in stock or make an online order for customers. The EA660 delivers a seamlessly work experience and improves productivity for various applications, making it faster downloads and uploads at user's fingertips on the most reliable networks for your business.

Premier Barcode Reading Distance

Featuring powerful 1D/2D scanning capabilities and utilizing premier 2D barcode scanning technology, the EA660 rugged smartphone offers an optional engine that enables barcode reading at distances of up to 12m with 5G and WiFi6E connectivity. This provides the perfect solution for the retail and logistics environments, allowing users to enjoy high-performance barcode reading, whether it's from a short or long distance, and optimize their work efficiency.

Durable design and flexible Options

The EA660 enhances industrial durability with features such as simultaneous IP65 and IP67 dustproof and waterproof ratings, along with resistance to falls from a height of 1.5 meters (1.8 meters with boot case). It has various accessories such as RFID gun grip and cradles and also supports unitech software solutions, SDKs, MoboLink, and 3rd party MDM solutions such as VMware, SOTI, Ivanti Wavelink.

Features

- · Android 13 OS with GMS & AER Certification
- Wireless Communication: 5G & WiFi 6E
- All-In-One functionality: 2D Imager, NFC, 5MP front camera, and 16MP rear camera
- Rugged: Corning[®] Gorilla[®] Glass Victus[®] touch display, IP65 & IP67 rated, and 1.5M drop (1.8M with boot case)
- Premier barcode reading distance : Up to 12M (Optional engine)
- Long-lasting removable 5000mAh UL certified smart battery
- Support unitech software solutions, SDKs, MoboLink, and MDM solutions





unitech



	Operation System		Communication		
	OS Android 13 (upgradable to A CPU Qualcomm® Snapdragon™ 4 64bits Octa-core Processor, Memory 6GB RAM / 128 GB Flash, U Languages support Multiple languages	up to 2.4 GHz	WLAN	Fast roaming	d/e/h/i/k/r/v (MIMO 2X2), Support DBS &
	Display Screen 6", 18:9 FHD+ (2160 x 1080) color screen, Backlight 630 nits Touch Panel Corning® Gorilla® Glass Victus®, Multi-Touch User Interface with		WWAN	Security WPA3, WPA2, WPA & WEP 5G NR: n1, n2, n3, n5, n7, n8, n12, n20, n28, n34, n38, n39, n40, n41, n48, n66, n77, n78, n79 4G LTE (FDD): B1, B2, B3, B4, B5, B7, B8, B12, B13,B14, B17, B19, B20, B28, B66 LTE (TDD): B34, B38, B39, B40, B41, B48	
	Capacitive, stylus (5.5mm) , glove Compatibility Keypad Ir	e mode, wet-finger ndicator		3G WCDMA/UMTS/HSPA B4(1700MHz), B5(850MH 2G GSM/GPRS/EDGE: B2	+ : B1(2100MHz), B2(1900MHz),
	5 keys- Programmable function button; LEDs, Vibrator, Speaker dual dedicated scan buttons; volume up/down buttons; on/off button		GPS	(GSM900) Support Data, SMS and Voice capabilities *n48& B48 for CBRS GPS/GLONASS/Gallileo/BeiDou/QZSS (L1+L5)	
	Camera 5MP front camera,		Sensors G-sensor(Accelerometer), Proximity + Light Sensor, E-Compass, Gyroscope sensor		
	16 MP Rear with auto-focus function and Flash Light		I/O Interfaces		
	RFID		USB	USB 3.1 (type-C) suppo	
	HF Support HF/NFC Frequency 13.56Mhz Support: ISO14443A/B, ISO Felica(ISO/IEC18092) comp		OTG POGO PIN SIM Slot	Support Ethernet/USB- Yes, over USB Type-C PogoPin backside: Sup PogoPin bottom: Charg Dual nano SIM Slot	oport Gun-grip
	Symbologies Audio 1D Support all major 1D barcodes 2D Support all major 2D barcodes		Expansion Slot		
			Addio		
			Environmental	nvironmental	
	Power Source Main battery 3.87V, 5000mAh Li-ion batt Support warm swap	a battery 3.87V, 5000mAh Li-ion battery		ure -20°C to 55°C -40°C to 70°C (without battery) e 0°C to 45°C 5% ~ 95% (Non-Condensing)	
	Enclosure Dimensions (H x W x D) 162.9 mm x 77mr Weight 270g±1.5% (with *The weight will weight will weight will weight will weight will weight weig	battery)* vary depending on	Relative Humidity Drop test to Concrete Environmental Sealin Vibration/ Tumble tes	e 1.5m drops to concre 1.8m with boot case g IP65 & IP67	ete per MIL-STD-810H
	Regulatory Approvals		Accessories		
	CE, UKCA, FCC, IC, NCC, VCCI, TELEC, CCC, SRRC N-Mark	C, RoHS, CEC, BQB,		e(Support Fast Charge) via USB Type-C Cable	Single Slot Charging Cradle Single Slot USB Cradle Single Slot Ethernet Cradle
	Software MDM Software SOTI, VMware and MoboLi	ink	Boot Case 9H Glass Screen Prot Battery 3.87V 5000m Stylus (5.5mm)		5-Slot Terminal Charging Cradle 5-Slot Ethernet Cradle 4-Terminal+ 4-battery Charging cradle 4-slot battery charger
>	Headquarters		Coiled Strap Standard Gun Grip		
			unitech Europe		

Taipei, Taiwan http://www.ute.com e-mail: info@hq.ute.com

unitech America

Los Angeles http://us.ute.com e-mail: info@us.ute.com http://can.ute.com info@can.ute.com Mexico http://latin.ute.com e-mail: info@latin.ute.com

unitech Asia Pacific & Middle East

Taipei http://apac.ute.com info@apac.ute.com / info@india.ute.com http://mideast.ute.com info@mideast.ute.com

unitech Europe

Tilburg / Netherlands http://eu.ute.com e-mail: info@eu.ute.com

unitech Japan

Tokyo http://jp.ute.com e-mail: info@jp.ute.com

unitech Greater China

Beijing, Shanghai, Cuang Zhou, Xiamen http://cn.ute.com info@cn.ute.com Taipei http://tw.ute.com info@tw.ute.com



Specifications subject to change without notice. Copyright 2024 unitech Electronics Co., Ltd. All rights reserved. unitech is a registered trademark of unitech Electronics Co., Ltd. All product and company names are trademarks, service marks, or registered trademarks of their respective owners. The Android robot is reproduced or modified from work created and shared by Google and used according to terms described in the Creative Commons 3.0 Attribution License.



A simple text viewer and editor for use in your work flows.

Auto-run apps when device boots up.

For versatile functions of RFID command via integrating with Unitech RFID Readers.

An easy and fast way to get logs from a device.

Enterprise Keyboard gives various methods for user to input data to enhance efficiency and productivity.